

Author Index

- Agabian, N., see Mottram, J.C., 115
- Al-Yaman, F.M. and Knobloch, J.
Isolation and partial characterization of species-specific and cross-reactive antigens of *Echinococcus granulosus* cyst fluid, 101
- Bakker, R.E., see Frenkel, M.J., 191
- Beck, P., see Mason, P.J., 27
- Ben-Ismaïl, R., see Smith, D.F., 213
- Bender, K., see Hecker, H., 225
- Betschart, B., see Hecker, H., 225
- Bieber, D., see Zurita, M., 11
- Black, S. and Vandeweerdt, V.
Serum lipoproteins are required for multiplication of *Trypanosoma brucei* under axenic culture conditions, 65
- Black, S.J., see Vandeweerdt, V., 201
- Boisvenue, R.J., see Shamansky, L.M., 73
- Bordier, C., see Bouvier, J., 235
- Bouvier, J., Bordier, C., Vogel, H., Reichelt, R. and Etges, R.
Characterization of the promastigote surface protease of *Leishmania* as a membrane-bound zinc endopeptidase, 235
- Brown, K.N., see Snounou, G., 37
- Brown, W.C., see Sugimoto, C., 159
- Buening, G.M., see Hines, S.A., 1
- Campbell, D.A.
A polyubiquitin gene from *Trypanosoma brucei* (*Short Communication*), 147
- Campbell, D.A., Suyama, D.A. and Simpson, L.
Genomic organisation of nuclear tRNA^{Gly} and tRNA^{Leu} genes in *Trypanosoma brucei*, 257
- Conrad, P.A., see Sugimoto, C., 159
- Cooper, D., see Kingston, I.B., 137
- Cox, G.N., see Shamansky, L.M., 73
- Da Cunha e Silva, N.L., Hassón-Voloch, A. and De Souza, W.
Isolation and characterization of a highly purified flagellar membrane fraction from trypanosomatids, 129
- De Souza, W., see Da Cunha e Silva, N.L., 129
- Dolan, T.T., see Sugimoto, C., 159
- Donelson, J.E., see Engman, D.M., 285
- Dore, E., see Pace, T., 109
- Dragon, E.A., see Engman, D.M., 285
- Edwards, M.R., Gilroy, F.V., Jimenez, B.M. and O'Sullivan, W.J.
Alanine is a major end product of metabolism by *Giardia lamblia*: a proton nuclear magnetic resonance study, 19
- Engman, D.M., Sias, S.R., Gabe, J.D., Donelson, J.E. and Dragon, E.A.
Comparison of HSP70 genes from two strains of *Trypanosoma cruzi* (*Short Communication*), 285
- Etges, R., see Bouvier, J., 235
- Frenkel, M.J., Savin, K.W., Bakker, R.E. and Ward, C.W.
Characterization of cDNA clones coding from muscle troponin of the nematode *Trichostrongylus colubriformis*, 191
- Gabe, J.D., see Engman, D.M., 285
- Gilroy, F.V., see Edwards, M.R., 19
- Goddeeris, B.M., see Sugimoto, C., 159
- Gramiccia, M., see Smith, D.F., 213
- Hall, R., see Mason, P.J., 27
- Haralambous, A., see Lightowlers, M.W., 171
- Hassón-Voloch, A., see Da Cunha e Silva, N.L., 129
- Hecker, H., Bender, K., Betschart, B. and Modespacher, U.-P.
Instability of the nuclear chromatin of procyclic *Trypanosoma brucei*, 225
- Hernández, F., see Rodríguez, M.A., 87
- Hines, S.A., McElwain, T.F., Buening, G.M. and Palmer, G.H.
Molecular characterization of *Babesia bovis* merozoite surface proteins bearing epitopes immunodominant in protected cattle, 1
- Hudson, L., see Takle, G.B., 57
- Hundt, E., see Knapp, B., 47
- Jarra, W., see Snounou, G., 37
- Jimenez, B.M., see Edwards, M.R., 19
- Karess, R.E., see Medina-Acosta, E., 263
- Kemp, D.J., see Marshall, V.M., 281
- Kingston, I.B., Wainwright, S.M. and Cooper, D., Comparison of collagen gene sequences in *Ascaris suum* and *Caenorhabditis elegans*, 137
- Knapp, B., Hundt, E. and Küpper, H.A.
A new blood stage antigen of *Plasmodium falciparum* transported to the erythrocyte surface, 47
- Knobloch, J., see Al-Yaman, F.M., 101
- Küpper, H.A., see Knapp, B., 47
- Le Page, R.W.F., see Tait, A., 247
- Lew, A.M., see Marshall, V.M., 281
- Lightowlers, M.W., Liu, D., Haralambous, A. and Rickard, M.D.
Subunit composition and specificity of the major cyst fluid antigens of *Echinococcus granulosus*, 171
- Liu, D., see Lightowlers, M.W., 171
- Lockyer, M.J., Marsh, K. and Newbold, C.I.
Wild isolates of *Plasmodium falciparum* show extensive polymorphism in T-cell epitopes of the circumsporozoite protein, 275
- Mansour, T.E., see Zurita, M., 11
- Marsh, K., see Lockyer, M.J., 275
- Marshall, V.M., Peterson, M.G., Lew, A.M. and Kemp, D.J.
Structure of the apical membrane antigen 1 (AMA-1) of

- Plasmodium chabaudi* (Short Communication), 281
- Mason, P.J., Shiels, B.R., Tait, A., Beck, P. and Hall, R.
Sequence and expression of a gene from *Theileria annulata* coding for a 70-kilodalton heat-shock protein
- McElwain, T.F., see Hines, S.A., 1
- Medina-Acosta, E., Karess, R.E., Schwartz, H. and Russell, D.G.
The promastigote surface protease (gp63) of *Leishmania* is expressed but differentially processed and localized in the amastigote stage, 263
- Mertens, E., Van Schaftingen, E. and Müller, M.
Presence of a fructose-2,6-bisphosphate-insensitive pyrophosphate: fructose-6-phosphate phosphotransferase in the anaerobic protozoa *Tritrichomonas foetus*, *Trichomonas vaginalis* and *Isotricha prostoma*, 183
- Modespacher, U.-P., see Hecker, H., 225
- Mottram, J.C., Murphy, W.J. and Agabian, N., A transcriptional analysis of the *Trypanosoma brucei* hsp83 gene cluster, 115
- Mons, B., see Pace, T., 109
- Murphy, W.J., see Mottram, J.C., 115
- Mutharia, L.M., see Sugimoto, C., 159
- Müller, M., see Mertens, E., 183
- Newbold, C.I., see Lockyer, M.J., 275
- Nicholls, S.C., see Takle, G.B., 57
- O'Sullivan, W.J., see Edwards, M.R., 19
- Orozco, E., see Rodriguez, M.A., 87
- Pace, T., Ponzi, M., Dore, E., Scotti, R. and Mons, B.
Presence of contaminating mitochondrial DNA from host reticulocytes in experimental infections of *Plasmodium berghei*, 109
- Palmer, G.H., see Hines, S.A., 1
- Pearson, T.W., see Sugimoto, C., 159
- Peterson, M.G., see Marshall, V.M., 281
- Ponzi, M., see Pace, T., 109
- Pratt, D., see Shamansky, L.M., 73
- Ray, D.S., see Sheline, C., 151
- Ready, P.D., see Smith, D.F., 213
- Reichelt, R., see Bouvier, J., 235
- Rickard, M.D., see Lightowers, M.W., 171
- Rodríguez, M.A., Hernández, F., Santos, L., Valdez, A. and Orozco, E.
Entamoeba histolytica: molecules involved in the target cell-parasite relationship, 87
- Russell, D.G., see Medina-Acosta, E., 263
- Santos, L., see Rodríguez, M.A., 87
- Savin, K.W., see Frenkel, M.J., 191
- Schwartz, H., see Medina-Acosta, E., 263
- Scotti, R., see Pace, T., 109
- Searle, S., see Smith, D.F., 213
- Shamansky, L.M., Pratt, D., Boisvenue, R.J. and Cox, G.N.
Cuticle collagen genes of *Haemonchus contortus* and *Caenorhabditis elegans* are highly conserved, 73
- Sheline, C. and Ray, D.S.
Specific discontinuities in *Leishmania tarentolae* minicircles map within universally conserved sequence blocks, 151
- Shiels, B.R., see Mason, P.J., 27
- Sias, S.R., see Engman, D.M., 285
- Simpson, L., see Campbell, D.A., 257
- Smith, D.F., Searle, S., Ready, P.D., Gramiccia, M. and Ben-Ismail, R.
A kinetoplast DNA probe diagnostic for *Leishmania major*: sequence homologies between regions of *Leishmania* minicircles, 213
- Snary, D., see Takle, G.B., 57
- Snounou, G., Jarra, W., Viriyakosol, S., Wood, J.C. and Brown, K.N.
Use of a DNA probe to analyse the dynamics of infection with rodent malaria parasites confirms that parasite clearance during crisis is predominantly strain- and species-specific, 37
- Sugimoto, C., Mutharia, L.M., Conrad, P.A., Dolan, T.T., Brown, W.C., Goddeeris, B.M. and Pearson, T.W.
Protein changes in bovine lymphoblastoid cells induced by infection with the intracellular parasite *Theileria parva*, 159
- Suyama, D.A., see Campbell, D.A., 257
- Tait, A., Turner, C.M.R., Le Page, R.W.F. and Wells, J.M.
Genetic evidence that metacyclic forms of *Trypanosoma brucei* are diploid, 247
- Tait, A., see Mason, P.J., 27
- Takle, G.B., Young, A., Snary, D., Hudson, L. and Nicholls, S.C.
Cloning and expression of a trypomastigote-specific 85-kilodalton surface antigen gene from *Trypanosoma cruzi*, 57
- Turner, C.M.R., see Tait, A., 247
- Valdez, A., see Rodríguez, M.A., 87
- Van Schaftingen, E., see Mertens, E., 183
- Vandeweerdt, V. and Black, S.J.
Serum lipoprotein and *Trypanosoma brucei brucei* interactions in vitro, 201
- Vandeweerdt, V., see Black, S., 65
- Viriyakosol, S., see Snounou, G., 37
- Vogel, H., see Bouvier, J., 235
- Wainwright, S.M., see Kingston, I.B., 137
- Ward, C.W., see Frenkel, M.J., 191
- Wells, J.M., see Tait, A., 247
- Wood, J.C., see Snounou, G., 37
- Wong, S., see Campbell, D.A., 147
- Young, A., see Takle, G.B., 57
- Zurita, M., Bieber, D. and Mansour, T.E.
Identification, expression and in situ hybridization of an eggshell protein gene from *Fasciola hepatica*, 11

Subject Index

- Adhesin, 87
 Alanine, 19
 Amastigote, 263
 Amino acid metabolism, 19
 Antigen 5, 171
 Antigen B, 171
 Apical membrane antigen, 281
Ascaris suum, 137

Babesia bovis, 1

Caenorhabditis elegans, 73, 137
 Chromatin, 225
 Circumsporozoite protein, 275
 Collagen, 73
 Collagen gene, 137
 Conserved sequence block, 151
 Crisis, 37
 Cross-reactivity, 101
 Cultivation, 73

 Diagnostic probe, 213
 DNA, 37
 DNA sequence homology, 213

Echinococcus granulosus, 101, 171
 Eggshell protein, 11
 Eggshell protein expression, 11
 Endopeptidase, 235
 Energy metabolism, 19
Entamoeba histolytica, 87, 183
 Ethanol, 19

Fasciola hepatica, 11
 Female genitalia of *F. hepatica*, 11
 Flagellar membrane, 129
 Flagellar pocket, 263
 Flagellum, 129
 Fructose-2,6-bisphosphate, 183

 Gene cloning, 57
 Gene structure, 73
Giardia lamblia, 19
 Glycoprotein, 263

¹H-magnetic resonance spectroscopy, 19
Haemonchus contortus, 73
 Heat-shock element, 115
 Heat-shock induction, 27
 Heat-shock protein, 27
 Heat-shock protein gene (Hsp83), 115
 High-density lipoprotein, 65
 Histone, 225
 HSP70 gene, 285
 Hybridisation, 37
 Hydatid cyst fluid, 101

 Immunodiagnosis, 101
 Immunoprecipitation, 171
 Intergenic sequence, 115
Isotricha prostoma, 183

Leishmania, 235, 263
Leishmania major, 213
Leishmania tarentolae, 151
 Lipid anchor, 1
 Lipid uptake, 201
 Lipoprotein, 201
 Lipoprotein-lipid, 65
 Low-density lipoprotein, 65

 Malaria, 37
 Meiosis, 247
 Membrane protein, 235
 Merozoite, 1
 Metacyclic, 247
 Metalloprotease, 235
 Minicircle kDNA, 213
 Mitochondrial DNA, 109
 Multiplication in axenic cultures, 65
 Muscle, 191

 Nucleosome filament, 225

 Phenylhydrazine treatment, 109
 Phosphatidylinositol, 1
 Phosphofructokinase, 183
 Phosphorylcholine, 171
Plasmodium berghei, 37, 109
Plasmodium chabaudi, 37, 281
Plasmodium falciparum, 47, 275
 Ploidy, 247
 Polyubiquitin gene, 147
 Protease, 235
 Protein structure, 47
 Psoralen cross-linking, 225
 Purification, 101
 Pyrophosphate, inorganic, 183

 Reticulocyte maturation, 109
 RNA polymerase III promoter, 257
 Rodent, 37

 Schizont, 159
 Schizont protein, 47
 Sequence homology, 73
 Serological diagnosis, 171
 Specific discontinuity, 151
 Specificity, 101, 171
 Surface antigen, 1
 Surface antigen, 85 kDa, 57
 Surface location, 47
 Surface glycoprotein, 159
 Surface protein, 87, 159

Synchronised infections, 109

T cell epitope, 275

T lymphoblast, 159

Theileria annulata, 27*Theileria parva*, 159

Transfer RNA gene, 257

Trichomonas vaginalis, 183*Trichostrongylus colubriformis*, 191

Triton X-114, 1

Tritrichomonas foetus, 183

Tropomyosin, 191

Trypanosoma brucei, 115, 147, 247, 257*Trypanosoma brucei brucei*, 65, 201*Trypanosoma cruzi*, 47, 285

Trypanosomatids, 129

Trypanosome, 225

Trypomastigote, 57

Two-dimensional gel electrophoresis, 159

Ultrastructure, 129

Zinc, 235

